

Customer AOA CONSTRUCTION 2016

Account #

Phone#


Fax#

Line #	Item Description	Quantity	Line Pricing	
0001 (1.00)	SH700 ALUM SINGLE HUNG 700	Ordered: 1.00	<u>List Price</u> \$971.00	<u>Sell Price</u> \$499.58
Configuration: ...37.X76.X.,STD,1/2" FL,W,EQUAL,G/G 5/16,GR,1" FB/FB,2V1H/2V1H,SGL,SWEEP,1816K,LSILL,.x.				
 Certification Type: MIAMI Frame Type: .5FLANGE Window Style: STD Size Ref: TTT Height: 76.0000 Rough Masonry: 37 3/4 X 76 Egress: 33 1/2 X 31 3/4 (7.386 SQFT) Does unit need to meet Turtle Code: NO Glass: 5/16" LAMI (1/8AN - .090 PVB- 1/8 AN) Glass Color: GRAY Privacy Glass: NONE Grid Style: STD Summary Top: 3A2D LITES (2V1H BARS) Screen Type: 1816 Charcoal Anchor Group: A.SH700 Lock Type: Sweep Latch Lmtd Sash Stop: N CAR#: 16-0714.06 NegativeDesignPressure: 80.0000 EnergyStar: NONE UF: 1.0700 VT: 0.4400		NOA Selection: 16-0714.06 Vent Configuration: EQUAL Size Selection: CUSTOM Width: 37.0000 Actual Size: 37 X 76 Wood Frame: 36 1/4 X 75 1/4 Frame Color: White Glass Family: Laminated Interlayer Type: PVB090 Low E: NONE Grid Type: 1" Flat Bar Exterior & Int Grid Location: UNIT Summary Bottom: 3A2D LITES (2V1H BARS) Stainless Steel Package: N Boxing Options: None Decralite: N Vent Ht: 38.2070 PositiveDesignPressure: 64.0000 PANumber: FL-239 CondensationResistance: 13.0000 SolarHeatGainCoeff: 0.4800 VTCOG: 0.5900		

ocation:

Notes:

002 (1.00)	SH700 ALUM SINGLE HUNG 700	Ordered: 1.00	<u>List Price</u> \$971.00	<u>Sell Price</u> \$499.58
Configuration: ...37.X76.X.,STD,1/2" FL,W,EQUAL,G/G 5/16,GR,1" FB/FB,2V1H/2V1H,SGL,SWEEP,1816K,LSILL,.x.				



Certification Type: MIAMI
Frame Type: .5FLANGE
Window Style: STD
Size Ref: TTT
Height: 76.0000
Rough Masonry: 37 3/4 X 76
Egress: 33 1/2 X 31 3/4 (7.386 SQFT)
Does unit need to meet Turtle Code: NO
Glass: 5/16" LAMI (1/8AN - .090 PVB- 1/8 AN)
Glass Color: GRAY
Privacy Glass: NONE
Grid Style: STD
Summary Top: 3A2D LITES (2V1H BARS)
Screen Type: 1816 Charcoal
Anchor Group: A.SH700
Lock Type: Sweep Latch
Lmtd Sash Stop: N
CAR#: 16-0714.06
NegativeDesignPressure: 80.0000
EnergyStar: NONE
UF: 1.0700
VT: 0.4400

NOA Selection: 16-0714.06
Vent Configuration: EQUAL
Size Selection: CUSTOM
Width: 37.0000
Actual Size: 37 X 76
Wood Frame: 36 1/4 X 75 1/4
Frame Color: White
Glass Family: Laminated
Interlayer Type: PVB090
Low E: NONE
Grid Type: 1" Flat Bar Exterior & Int
Grid Location: UNIT
Summary Bottom: 3A2D LITES (2V1H BARS)
Stainless Steel Package: N
Boxing Options: None
Decralite: N
Vent Ht: 38.2070
PositiveDesignPressure: 64.0000
PANumber: FL-239
CondensationResistance: 13.0000
SolarHeatGainCoeff: 0.4800
VTCOG: 0.5900

Location:

Notes:

0003
(3.00)


SH700 ALUM SINGLE HUNG 700

Ordered:
1.00

List Price
\$863.00

Sell Price
\$444.01

Configuration: ,,37.X76.X.,STD,1/2" FL,W,EQUAL,G/G 5/16,GR,NO GRID,SGL,SWEEP,1816K,LSILL,,x.



Certification Type: MIAMI
Frame Type: .5FLANGE
Window Style: STD
Size Ref: TTT
Height: 76.0000
Rough Masonry: 37 3/4 X 76
Egress: 33 1/2 X 31 3/4 (7.386 SQFT)
Does unit need to meet Turtle Code: NO
Glass: 5/16" LAMI (1/8AN - .090 PVB- 1/8 AN)
Glass Color: GRAY
Privacy Glass: NONE
Screen Type: 1816 Charcoal
Anchor Group: A.SH700
Lock Type: Sweep Latch
Lmtd Sash Stop: N
CAR#: 16-0714.06
NegativeDesignPressure: 80.0000
EnergyStar: NONE
UF: 1.0700
VT: 0.4900

NOA Selection: 16-0714.06
Vent Configuration: EQUAL
Size Selection: CUSTOM
Width: 37.0000
Actual Size: 37 X 76
Wood Frame: 36 1/4 X 75 1/4
Frame Color: White
Glass Family: Laminated
Interlayer Type: PVB090
Low E: NONE
Grid Type: NO Grid
Stainless Steel Package: N
Boxing Options: None
Decralite: N
Vent Ht: 38.2070
PositiveDesignPressure: 64.0000
PANumber: FL-239
CondensationResistance: 13.0000
SolarHeatGainCoeff: 0.5300
VTCOG: 0.5900

Location:

Notes:

0004
(4.00)


SH700 ALUM SINGLE HUNG 700

Ordered:
1.00

List Price
\$863.00

Sell Price
\$444.01

Configuration: ,,37.X76.X.,STD,1/2" FL,W,EQUAL,G/G 5/16,GR,NO GRID,SGL,SWEEP,1816K,LSILL,,x.



Certification Type: MIAMI
Frame Type: .5FLANGE
Window Style: STD
Size Ref: TTT
Height: 76.0000
Rough Masonry: 37 3/4 X 76
Egress: 33 1/2 X 31 3/4 (7.386 SQFT)
Does unit need to meet Turtle Code: NO
Glass: 5/16" LAMI (1/8AN - .090 PVB- 1/8 AN)
Glass Color: GRAY
Privacy Glass: NONE
Screen Type: 1816 Charcoal
Anchor Group: A.SH700
Lock Type: Sweep Latch
Lmtd Sash Stop: N
CAR#: 16-0714.06
NegativeDesignPressure: 80.0000
EnergyStar: NONE
UF: 1.0700
VT: 0.4900

NOA Selection: 16-0714.06
Vent Configuration: EQUAL
Size Selection: CUSTOM
Width: 37.0000
Actual Size: 37 X 76
Wood Frame: 36 1/4 X 75 1/4
Frame Color: White
Glass Family: Laminated
Interlayer Type: PVB090
Low E: NONE
Grid Type: NO Grid
Stainless Steel Package: N
Boxing Options: None
Decralite: N
Vent Ht: 38.2070
PositiveDesignPressure: 64.0000
PANumber: FL-239
CondensationResistance: 13.0000
SolarHeatGainCoeff: 0.5300
VTCOG: 0.5900

Location:

Notes:

0005
(5.00)


SGD770 SLIDING GLASS DOOR 770

Ordered:
1.00

List Price
\$3,050.00

Sell Price
\$1,441.12

Configuration: ,,71.75X95.5,BYPASS,2P2T,OX,REV,2.5,NARROW,W,H/H 7/16,GRAY,NO GRID,BS,1816K,ALL,,x.



Send Unit: COMPLETE
NOA Selection: 16-0629.06
Pnl/Trk: 2 Panel / 2 Track
Panel Stack: REV
Width: 71.7500
Actual Size: 71 3/4 X 95 1/2
Frame Color: White
Sill Riser Type: NARROW
Glass Family: Laminated
Glass: 7/16" LAMI (3/16 HS - .090 PVB- 3/16 HS)
Low E: NONE
Grid Type: NO Grid
Screen Rail Qty: 1-BOX
Panel Opr Rlr: Steel Tandem
Screen Rlr: Steel
Handle Color: W
Secondary Lock Type: NONE
Keyed Alike: N
Boxing Options: None
Stile: STD/STD
CAR#: 16-0629.06
NegativeDesignPressure: 60.0000
EnergyStar: NONE
UF: 1.1100
VT: 0.3500

Certification Type: MIAMI
Door Configuration: BYPASS
Panel Configuration: OX
Size Selection: CUSTOM
Height: 95.5000
Calc Track Length: 71.7500
Sill Riser Height: 2.5000
Does unit need to meet Turtle Code: NO
Interlayer Type: PVB090
Glass Color: GRAY
Privacy Glass: NONE
Screen Panel Type: BOX
Screen Mesh Type: 1816 Charcoal
Panel Fxd Rlr: Steel Tandem
Handle Type: RAISED/RAISED
Lock/Handle Location: STD
Key Lock: N
Anchor Group: 1.SGD770.1
Decralite: N
Add Panel Reinf.: N
PositiveDesignPressure: 46.7000
PANumber: FL-251
CondensationResistance: 15.0000
SolarHeatGainCoeff: 0.4200
VTCOG: 0.4900

Location:

Notes:

0006
(6.00)


SH700 ALUM SINGLE HUNG 700

Ordered:
1.00

List Price
\$824.00

Sell Price
\$423.95

Configuration: ,,52.875X46.5X.,STD,1/2" FL,W,EQUAL,G/G 5/16,GR,NO GRID,DBL,SWEEP,1816K,LSILL,,x.



Certification Type: MIAMI
Frame Type: .5FLANGE
Window Style: STD
Size Ref: TTT
Height: 46 1/2
Rough Masonry: 53 5/8 X 46 1/2
Egress: 49 3/8 X 17 (5.829 SQFT)
Does unit need to meet Turtle Code: NO
Glass: 5/16" LAMI (1/8AN - .090 PVB- 1/8 AN)
Glass Color: GRAY
Privacy Glass: NONE
Screen Type: 1816 Charcoal
Anchor Group: A.SH700
Lock Type: Sweep Latch
Lmtd Sash Stop: N
CAR#: 16-0714.06
NegativeDesignPressure: 80.0000
EnergyStar: NONE
UF: 1.0700
VT: 0.4900

NOA Selection: 16-0714.06
Vent Configuration: EQUAL
Size Selection: CUSTOM
Width: 52 7/8
Actual Size: 52 7/8 X 46 1/2
Wood Frame: 52 1/8 X 45 3/4
Frame Color: White
Glass Family: Laminated
Interlayer Type: PVB090
Low E: NONE
Grid Type: NO Grid
Stainless Steel Package: N
Boxing Options: None
Decralite: N
Vent Ht: 23.4570
PositiveDesignPressure: 64.0000
PANumber: FL-239
CondensationResistance: 13.0000
SolarHeatGainCoeff: 0.5300
VTCOG: 0.5900

Location:

Notes:

0007 (7.00)	SGD770 SLIDING GLASS DOOR 770	Ordered: 1.00	List Price \$3,573.00	Sell Price \$1,688.24
Configuration: ...,96.X95.,BYPASS,2P2T,XO,STD,2.5,NARROW,W,H/H 7/16,GRAY,NO GRID,BS,1816K,ALL,.x.				


Send Unit: COMPLETE
NOA Selection: 16-0629.06
Pnl/Trk: 2 Panel / 2 Track
Panel Stack: STD
Width: 96.0000
Actual Size: 96 X 95
Frame Color: White
Sill Riser Type: NARROW
Glass Family: Laminated
Glass: 7/16" LAMI (3/16 HS - .090 PVB- 3/16 HS)
Low E: NONE
Grid Type: NO Grid
Screen Rail Qty: 1-BOX
Panel Opr Rlr: Steel Tandem
Screen Rlr: Steel
Handle Color: W
Secondary Lock Type: NONE
Keyed Alike: N
Boxing Options: None
Stile: STD/STD
CAR#: 16-0629.06
NegativeDesignPressure: 60.0000
EnergyStar: NONE
UF: 1.1100
VT: 0.3500

Certification Type: MIAMI
Door Configuration: BYPASS
Panel Configuration: XO
Size Selection: CUSTOM
Height: 95.0000
Calc Track Length: 96.0000
Sill Riser Height: 2.5000
Does unit need to meet Turtle Code: NO
Interlayer Type: PVB090
Glass Color: GRAY
Privacy Glass: NONE
Screen Panel Type: BOX
Screen Mesh Type: 1816 Charcoal
Panel Fxd Rlr: Steel Tandem
Handle Type: RAISED/RAISED
Lock/Handle Location: STD
Key Lock: N
Anchor Group: 1.SGD770.1
Decralite: N
Add Panel Reinf.: N
PositiveDesignPressure: 46.7000
PANumber: FL-251
CondensationResistance: 15.0000
SolarHeatGainCoeff: 0.4200
VTCOG: 0.4900

Location:

Notes:

0008 (8.00)	SGD770 SLIDING GLASS DOOR 770	Ordered: 1.00	List Price \$3,573.00	Sell Price \$1,688.24
Configuration: ...,96.X95.5,BYPASS,2P2T,XO,STD,2.5,NARROW,W,H/H 7/16,GRAY,NO GRID,BS,1816K,ALL,.x.				




Send Unit: COMPLETE
NOA Selection: 16-0629.06
Pnl/Trk: 2 Panel / 2 Track
Panel Stack: STD
Width: 96.0000
Actual Size: 96 X 95 1/2
Frame Color: White
Sill Riser Type: NARROW
Glass Family: Laminated
Glass: 7/16" LAMI (3/16 HS - .090 PVB- 3/16 HS)
Low E: NONE
Grid Type: NO Grid
Screen Rail Qty: 1-BOX
Panel Opr Rlr: Steel Tandem
Screen Rlr: Steel
Handle Color: W
Secondary Lock Type: NONE
Keyed Alike: N
Boxing Options: None
Stile: STD/STD
CAR#: 16-0629.06
NegativeDesignPressure: 60.0000
EnergyStar: NONE
UF: 1.1100
VT: 0.3500

Certification Type: MIAMI
Door Configuration: BYPASS
Panel Configuration: XO
Size Selection: CUSTOM
Height: 95.5000
Calc Track Length: 96.0000
Sill Riser Height: 2.5000
Does unit need to meet Turtle Code: NO
Interlayer Type: PVB090
Glass Color: GRAY
Privacy Glass: NONE
Screen Panel Type: BOX
Screen Mesh Type: 1816 Charcoal
Panel Fxd Rlr: Steel Tandem
Handle Type: RAISED/RAISED
Lock/Handle Location: STD
Key Lock: N
Anchor Group: 1.SGD770.1
Decralite: N
Add Panel Reinf.: N
PositiveDesignPressure: 46.7000
PANumber: FL-251
CondensationResistance: 15.0000
SolarHeatGainCoeff: 0.4200
VTCOG: 0.4900

Location:

Notes:

0009 (9.00)	SH700 ALUM SINGLE HUNG 700	Ordered: 1.00	List Price \$1,109.00	Sell Price \$570.58
Configuration: ...,53.X55.X.,STD,1/2" FL,W,EQUAL,G/G 5/16,GR,1" FB/FB,3V1H/3V1H,DBL,SWEEP,1816K,LSILL,.,x.				




Certification Type: MIAMI
Frame Type: .5FLANGE
Window Style: STD
Size Ref: TTT
Height: 55.0000
Rough Masonry: 53 3/4 X 55
Egress: 49 1/2 X 21 1/4 (7.305 SQFT)
Does unit need to meet Turtle Code: NO
Glass: 5/16" LAMI (1/8AN - .090 PVB- 1/8 AN)
Glass Color: GRAY
Privacy Glass: NONE
Grid Style: STD
Summary Top: 4A2D LITES (3V1H BARS)
Screen Type: 1816 Charcoal
Anchor Group: A.SH700
Lock Type: Sweep Latch
Lmtd Sash Stop: N
CAR#: 16-0714.06
NegativeDesignPressure: 80.0000
EnergyStar: NONE
UF: 1.0700
VT: 0.4400

NOA Selection: 16-0714.06
Vent Configuration: EQUAL
Size Selection: CUSTOM
Width: 53.0000
Actual Size: 53 X 55
Wood Frame: 52 1/4 X 54 1/4
Frame Color: White
Glass Family: Laminated
Interlayer Type: PVB090
Low E: NONE
Grid Type: 1" Flat Bar Exterior & Int
Grid Location: UNIT
Summary Bottom: 4A2D LITES (3V1H BARS)
Stainless Steel Package: N
Boxing Options: None
Decralite: N
Vent Ht: 27.7070
PositiveDesignPressure: 64.0000
PANumber: FL-239
CondensationResistance: 13.0000
SolarHeatGainCoeff: 0.4800
VTCOG: 0.5900

Location:

Notes:

0010 (10.00)	SH700 ALUM SINGLE HUNG 700	Ordered: 1.00	List Price \$1,109.00	Sell Price \$570.58
Configuration: ...,53.X55.5X.,STD,1/2" FL,W,EQUAL,G/G 5/16,GR,1" FB/FB,3V1H/3V1H,DBL,SWEEP,1816K,LSILL,.,x.				



Certification Type: MIAMI
Frame Type: .5FLANGE
Window Style: STD
Size Ref: TTT
Height: 55 1/2
Rough Masonry: 53 3/4 X 55 1/2
Egress: 49 1/2 X 21 1/2 (7.391 SQFT)
Does unit need to meet Turtle Code: NO
Glass: 5/16" LAMI (1/8AN - .090 PVB- 1/8 AN)
Glass Color: GRAY
Privacy Glass: NONE
Grid Style: STD
Summary Top: 4A2D LITES (3V1H BARS)
Screen Type: 1816 Charcoal
Anchor Group: A.SH700
Lock Type: Sweep Latch
Lmt'd Sash Stop: N
CAR#: 16-0714.06
NegativeDesignPressure: 80.0000
EnergyStar: NONE
UF: 1.0700
VT: 0.4400

NOA Selection: 16-0714.06
Vent Configuration: EQUAL
Size Selection: CUSTOM
Width: 53.0000
Actual Size: 53 X 55 1/2
Wood Frame: 52 1/4 X 54 3/4
Frame Color: White
Glass Family: Laminated
Interlayer Type: PVB090
Low E: NONE
Grid Type: 1" Flat Bar Exterior & Int
Grid Location: UNIT
Summary Bottom: 4A2D LITES (3V1H BARS)
Stainless Steel Package: N
Boxing Options: None
Decralite: N
Vent Ht: 27.9570
PositiveDesignPressure: 64.0000
PANumber: FL-239
CondensationResistance: 13.0000
SolarHeatGainCoeff: 0.4800
VTCOG: 0.5900

Location:

Notes:

0011
(11.00)


SH700 ALUM SINGLE HUNG 700

Ordered:
1.00

List Price
\$789.00

Sell Price
\$405.94

Configuration: ,,36.75X55.5X.,STD,1/2" FL,W,EQUAL,G/G 5/16,GR,1" FB/FB,2V1H/2V1H,SGL,SWEEP,1816K,LSILL,.x.



Certification Type: MIAMI
Frame Type: .5FLANGE
Window Style: STD
Size Ref: TTT
Height: 55 1/2
Rough Masonry: 37 1/2 X 55 1/2
Egress: 33 1/4 X 21 1/2 (4.964 SQFT)
Does unit need to meet Turtle Code: NO
Glass: 5/16" LAMI (1/8AN - .090 PVB- 1/8 AN)
Glass Color: GRAY
Privacy Glass: NONE
Grid Style: STD
Summary Top: 3A2D LITES (2V1H BARS)
Screen Type: 1816 Charcoal
Anchor Group: A.SH700
Lock Type: Sweep Latch
Lmt'd Sash Stop: N
CAR#: 16-0714.06
NegativeDesignPressure: 80.0000
EnergyStar: NONE
UF: 1.0700
VT: 0.4400

NOA Selection: 16-0714.06
Vent Configuration: EQUAL
Size Selection: CUSTOM
Width: 36 3/4
Actual Size: 36 3/4 X 55 1/2
Wood Frame: 36 X 54 3/4
Frame Color: White
Glass Family: Laminated
Interlayer Type: PVB090
Low E: NONE
Grid Type: 1" Flat Bar Exterior & Int
Grid Location: UNIT
Summary Bottom: 3A2D LITES (2V1H BARS)
Stainless Steel Package: N
Boxing Options: None
Decralite: N
Vent Ht: 27.9570
PositiveDesignPressure: 64.0000
PANumber: FL-239
CondensationResistance: 13.0000
SolarHeatGainCoeff: 0.4800
VTCOG: 0.5900

Location:

Notes:

0012
(12.00)


SH700 ALUM SINGLE HUNG 700

Ordered:
1.00

List Price
\$789.00

Sell Price
\$405.94

Configuration: ,,36.75X55.5X.,STD,1/2" FL,W,EQUAL,G/G 5/16,GR,1" FB/FB,2V1H/2V1H,SGL,SWEEP,1816K,LSILL,.x.



Certification Type: MIAMI
Frame Type: .5FLANGE
Window Style: STD
Size Ref: TTT
Height: 55 1/2
Rough Masonry: 37 1/2 X 55 1/2
Egress: 33 1/4 X 21 1/2 (4.964 SQFT)
Does unit need to meet Turtle Code: NO
Glass: 5/16" LAMI (1/8AN - .090 PVB- 1/8 AN)
Glass Color: GRAY
Privacy Glass: NONE
Grid Style: STD
Summary Top: 3A2D LITES (2V1H BARS)
Screen Type: 1816 Charcoal
Anchor Group: A.SH700
Lock Type: Sweep Latch
Lmtd Sash Stop: N
CAR#: 16-0714.06
NegativeDesignPressure: 80.0000
EnergyStar: NONE
UF: 1.0700
VT: 0.4400

NOA Selection: 16-0714.06
Vent Configuration: EQUAL
Size Selection: CUSTOM
Width: 36 3/4
Actual Size: 36 3/4 X 55 1/2
Wood Frame: 36 X 54 3/4
Frame Color: White
Glass Family: Laminated
Interlayer Type: PVB090
Low E: NONE
Grid Type: 1" Flat Bar Exterior & Int
Grid Location: UNIT
Summary Bottom: 3A2D LITES (2V1H BARS)
Stainless Steel Package: N
Boxing Options: None
Decralite: N
Vent Ht: 27.9570
PositiveDesignPressure: 64.0000
PANumber: FL-239
CondensationResistance: 13.0000
SolarHeatGainCoeff: 0.4800
VTCOG: 0.5900

Location:

Notes:

0013 (17.00)	AR720 ALUM ARCHITECTURAL 720	Ordered: 1.00	List Price \$394.00	Ext Price \$175.84
-----------------	------------------------------	------------------	------------------------	-----------------------

Configuration: ,24.X24.X.X.,1/2" FL,W,FC,A/H 7/16,GR,OB,OUTSIDE GLZ,NO GRID,,.x.



Certification Type: MIAMI
Shape: FC
Size Selection: CUSTOM
Width: 24.0000
Rough Masonry Opening: 24 3/4 X 24
Frame Color: White
Glass Family: Laminated
Interlayer Type: PVB090
Glass Color: GRAY
Privacy Glass: OBSCURE
Colonial Color: W
Decralite: N
PositiveDesignPressure: 80.0000
PANumber: FL243
CondensationResistance: 13.0000
SolarHeatGainCoeff: 0.5100
VTCOG: 0.4900


NOA Selection: 16-0629.14
Frame Type: .5FLANGE
Size Ref: TTT
Actual Size: 24 X 24
Wood Frame Opening: 23 1/4 X 23 1/4
Does unit need to meet Turtle Code: NO
Glass Type: 7/16"
Glass: 7/16" LAMI (3/16 AN - .090 PVB- 3/16 HS)
Low E: NONE
Grid Type: NO Grid
Boxing Options: None
CAR#: 16-0629.14
NegativeDesignPressure: 80.0000
EnergyStar: NONE
UF: 0.9900
VT: 0.4400

Location:

Notes:

0014 (14.00)	SH700 ALUM SINGLE HUNG 700	Ordered: 1.00	List Price \$965.00	Sell Price \$496.49
-----------------	----------------------------	------------------	------------------------	------------------------

Configuration: ,,52.875X55.5X.,STD,1/2" FL,W,EQUAL,G/G 5/16,GR,NO GRID,DBL,SWEEP,1816K,LSILL,.x.

 Certification Type: MIAMI
Frame Type: .5FLANGE
Window Style: STD
Size Ref: TTT
Height: 55 1/2
Rough Masonry: 53 5/8 X 55 1/2
Egress: 49 3/8 X 21 1/2 (7.372 SQFT)
Does unit need to meet Turtle Code: NO
Glass: 5/16" LAMI (1/8AN - .090 PVB- 1/8 AN)
Glass Color: GRAY
Privacy Glass: NONE
Screen Type: 1816 Charcoal
Anchor Group: A.SH700
Lock Type: Sweep Latch
Lmtd Sash Stop: N
CAR#: 16-0714.06
NegativeDesignPressure: 80.0000
EnergyStar: NONE
UF: 1.0700
VT: 0.4900


NOA Selection: 16-0714.06
Vent Configuration: EQUAL
Size Selection: CUSTOM
Width: 52 7/8
Actual Size: 52 7/8 X 55 1/2
Wood Frame: 52 1/8 X 54 3/4
Frame Color: White
Glass Family: Laminated
Interlayer Type: PVB090
Low E: NONE
Grid Type: NO Grid
Stainless Steel Package: N
Boxing Options: None
Decralite: N
Vent Ht: 27.9570
PositiveDesignPressure: 64.0000
PANumber: FL-239
CondensationResistance: 13.0000
SolarHeatGainCoeff: 0.5300
VTCOG: 0.5900

Location:

Notes:

0015 (15.00)	SH700 ALUM SINGLE HUNG 700	Ordered: 1.00		List Price \$965.00	Sell Price \$496.49
-----------------	----------------------------	------------------	--	------------------------	------------------------

Configuration: ,,52.875X55.5X,,STD,1/2" FL,W,EQUAL,G/G 5/16,GR,NO GRID,DBL,SWEEP,1816K,LSILL,,x.

 Certification Type: MIAMI
Frame Type: .5FLANGE
Window Style: STD
Size Ref: TTT
Height: 55 1/2
Rough Masonry: 53 5/8 X 55 1/2
Egress: 49 3/8 X 21 1/2 (7.372 SQFT)
Does unit need to meet Turtle Code: NO
Glass: 5/16" LAMI (1/8AN - .090 PVB- 1/8 AN)
Glass Color: GRAY
Privacy Glass: NONE
Screen Type: 1816 Charcoal
Anchor Group: A.SH700
Lock Type: Sweep Latch
Lmtd Sash Stop: N
CAR#: 16-0714.06
NegativeDesignPressure: 80.0000
EnergyStar: NONE
UF: 1.0700
VT: 0.4900

NOA Selection: 16-0714.06
Vent Configuration: EQUAL
Size Selection: CUSTOM
Width: 52 7/8
Actual Size: 52 7/8 X 55 1/2
Wood Frame: 52 1/8 X 54 3/4
Frame Color: White
Glass Family: Laminated
Interlayer Type: PVB090
Low E: NONE
Grid Type: NO Grid
Stainless Steel Package: N
Boxing Options: None
Decralite: N
Vent Ht: 27.9570
PositiveDesignPressure: 64.0000
PANumber: FL-239
CondensationResistance: 13.0000
SolarHeatGainCoeff: 0.5300
VTCOG: 0.5900

Location:

Notes:

0016 (16.00)	MULL MULL BARS	Ordered: 1.00		List Price \$187.60	Sell Price \$97.55
-----------------	----------------	------------------	--	------------------------	-----------------------

Configuration: ,80.,WHITE,.5FLANGE,SERIES 700,MULL/CLPS,1 X 2.750 X .650,2

Product Family Series: 700.0000
NOA Selection: 16-0218.03
Frame Type: .5FLANGE
Mull Clip Qty: 2.0000
Size Selection: CUSTOM
Frame Color: W

Certification Type: MIAMI
Part Selection: MULL/CLPS
Mull Bar Type: 1X2.750X0.650
Mull Clip Type: STDCLP/STDCLP
Length: 80.0000
Packaging Options: N

Location:


Notes:

0017 (18.00)	MULL MULL BARS	Ordered: 1.00		List Price \$142.20	Sell Price \$73.94
-----------------	----------------	------------------	--	------------------------	-----------------------

Configuration: ,60.,WHITE,.5FLANGE,SERIES 700,MULL/CLPS,1 X 2.750 X .650,2

0018 (19.00)	SGD770 SLIDING GLASS DOOR 770	Ordered: 1.00	List Price \$2,602.00	Sell Price \$1,229.44
-----------------	-------------------------------	------------------	--------------------------	--------------------------

Configuration: ,,,70.5X79.75,BYPASS,2P2T,XO,STD,2.5,NARROW,W,H/H 7/16,GRAY,NO GRID,BS,1816K,ALL,.x.



Send Unit: COMPLETE
NOA Selection: 16-0629.06
Pnl/Trk: 2 Panel / 2 Track
Panel Stack: STD
Width: 70.5000
Actual Size: 70 1/2 X 79 3/4
Frame Color: White
Sill Riser Type: NARROW
Glass Family: Laminated
Glass: 7/16" LAMI (3/16 HS - .090 PVB- 3/16 HS)
Low E: NONE
Grid Type: NO Grid
Screen Rail Qty: 1-BOX
Panel Opr Rlr: Steel Tandem
Screen Rlr: Steel
Handle Color: W
Secondary Lock Type: NONE
Keyed Alike: N
Boxing Options: None
Stile: STD/STD
CAR#: 16-0629.06
NegativeDesignPressure: 60.0000
EnergyStar: NONE
UF: 1.1100
VT: 0.3500

Certification Type: MIAMI
Door Configuration: BYPASS
Panel Configuration: XO
Size Selection: CUSTOM
Height: 79.7500
Calc Track Length: 70.5000
Sill Riser Height: 2.5000
Does unit need to meet Turtle Code: NO
Interlayer Type: PVB090
Glass Color: GRAY
Privacy Glass: NONE
Screen Panel Type: BOX
Screen Mesh Type: 1816 Charcoal
Panel Fxd Rlr: Steel Tandem
Handle Type: RAISED/RAISED
Lock/Handle Location: STD
Key Lock: N
Anchor Group: 1.SGD770.1
Decralite: N
Add Panel Reinf.: N
PositiveDesignPressure: 46.7000
PANumber: FL-251
CondensationResistance: 15.0000
SolarHeatGainCoeff: 0.4200
VTCOG: 0.4900

Location:

Notes:

0019 (20.00)	SH700 ALUM SINGLE HUNG 700	Ordered: 1.00	List Price \$965.00	Sell Price \$496.49
-----------------	----------------------------	------------------	------------------------	------------------------

Configuration: ,,,52.875X55.5X.,STD,1/2" FL,W,EQUAL,G/G 5/16,GR,NO GRID,DBL,SWEEP,1816K,LSILL,.x.



Certification Type: MIAMI
Frame Type: .5FLANGE
Window Style: STD
Size Ref: TTT
Height: 55 1/2
Rough Masonry: 53 5/8 X 55 1/2
Egress: 49 3/8 X 21 1/2 (7.372 SQFT)
Does unit need to meet Turtle Code: NO
Glass: 5/16" LAMI (1/8AN - .090 PVB- 1/8 AN)
Glass Color: GRAY
Privacy Glass: NONE
Screen Type: 1816 Charcoal
Anchor Group: A.SH700
Lock Type: Sweep Latch
Lmtd Sash Stop: N
CAR#: 16-0714.06
NegativeDesignPressure: 80.0000
EnergyStar: NONE
UF: 1.0700
VT: 0.4900

NOA Selection: 16-0714.06
Vent Configuration: EQUAL
Size Selection: CUSTOM
Width: 52 7/8
Actual Size: 52 7/8 X 55 1/2
Wood Frame: 52 1/8 X 54 3/4
Frame Color: White
Glass Family: Laminated
Interlayer Type: PVB090
Low E: NONE
Grid Type: NO Grid
Stainless Steel Package: N
Boxing Options: None
Decralite: N
Vent Ht: 27.9570
PositiveDesignPressure: 64.0000
PANumber: FL-239
CondensationResistance: 13.0000
SolarHeatGainCoeff: 0.5300
VTCOG: 0.5900

Location:

Notes: